



5

VON

VITRINA DE PASTELERÍA
SERIE ONIX EN ACERO
INOXIDABLE

ONIX SERIES PASTRY
DISPLAY COUNTER IN
STAINLESS STEEL

Etiqueta energética
Energy labelling



*(pag. 22)

VON

Vitrina de pastelería serie onix en acero inoxidable

Onix series pastry display counter in stainless steel



Modelos disponibles

VON PR refrigerado servicio tradicional cristal recto

VON R refrigerado servicio tradicional cristal curvo

VON SS refrigerado autoservicio

VON PHT caliente servicio tradicional cristal recto

VON HT caliente servicio tradicional cristal curvo

VON DS doble servicio (tradicional y autoservicio) refrigerado cristal curvo

Available models

Traditional refrigerated service straight glass

Traditional service refrigerated curve glass

Self-service refrigerated

Traditional refrigerated hot products straight glass

Traditional refrigerated hot products curve glass

Dual service (traditional and self-service) refrigerated curve glass



Dos diseños diferentes, con cristal recto y curvo, para integrar dentro de todas las áreas de venta

Two different designs, with straight and curved glass, to integrate into all sales areas



Flexibilidad de implantación que te permiten combinar los diferentes tipos de venta dentro de un mismo lineal.

Flexibility of layout to combine different types of sales within the same line




La gama modular para pastelería en acero inoxidable

The modular range of stainless steel pastry display cases



VON | VON PR

PASTELERÍA
PASTRY



Enchufable / Plug in

DIMENSIONES / DIMENSIONS

Medidas / *measure*

✦ 810 x 1300 x ** L (mm)

Longitud / *length*

✦ [**L] = 978 / 1290 / 1915 mm.

Estantes / *Shelves*


✦ 275 / 375 mm.

Exposición / *Exhibition*

✦ 504 mm.

Espesor laterales / *Side thickness*

✦ 20 mm.



Sección comercial
Commercial section

CARACTERÍSTICAS

Vitrina refrigerada pastelería grupo incorporado servicio tradicional.
Alta capacidad con 4 niveles de exposición.
Sistema de refrigeración y condensación ventilados.
Cristal frontal recto templado.
Cristal frontal calefactado abatible.
Puertas correderas traseras dobles.
Módulos sin reserva refrigerada.
Exposición interior en acero inoxidable.
Estantes de cristal con perfilera de aluminio anodizado.
Aislamiento de poliuretano inyectado a alta presión libre de CFC's con densidad de 40 Kg/m³.
Decoración frontal en acero inoxidable AISI304.
Control electrónico.
Bandeja evaporativa doble en acero inoxidable.
Desescarche automático.
Equipamiento de alta eficiencia:

- ✦ Iluminación LED blanco 6000K en exposición.
- ✦ Iluminación LED blanco 6000K en estantes.
- ✦ Iluminación LED blanco 6000K decorativa.

MAIN FEATURES

Plug in traditional service refrigerated pastry display case.
High capacity with 4 exposure levels.
Ventilated cooling and condensing system.
Straight front tempered glass.
Heated folding front glass.
Double rear sliding doors.
Modules without refrigerated reserves.
Interior exhibition in stainless steel AISI304.
Glass shelves with anodized aluminium profile.
High injected polyurethane insulation.
free pressure of CFC's with density 40 Kg / m³.
Front decoration in water-repellent DM high resistance lacquer.
Electronic control.
Evaporative tray in stainless steel.
Automatic defrosting.
High efficiency equipment:

- ✦ *LED lighting 6000K white on exposure.*
- ✦ *LED lighting 6000K white on shelves.*
- ✦ *Decorative LED lighting 6000K cold white.*

RANGO DE TEMPERATURA ISO23953 / TEMPERATURE RANGE ISO23953

Tª Aplicación / *Application Tª*

+4°C / +8°C

Clase climática 3 / *Climatic class 3*

✦ 25°C / 60% HR

DATOS ELÉCTRICOS / ELECTRICAL DATA

230 V / 50 Hz

DATOS MERCHANDISING [x metro] / MERCHANDISING DATA [x meter]

MODELOS DISPONIBLES <i>AVAILABLE MODELS</i>	Longitud <i>Length</i>	Longitud total <i>Total length</i>	TDA/m	Área refrigerada <i>Refrigerated Area</i>	Volumen refrigerado <i>Refrigerated volume</i>	LED	Estantes <i>Shelves</i>
	mm	mm	m ²	m ²	litros		
VON09PR	938	978	1,35	1,41	274,00	Si	3
VON12PR	1250	1290	1,80	1,88	365,00	Si	3
VON18PR	1875	1915	2,70	2,81	548,00	Si	3


CARTA DE COLORES VITRINAS PASTELERÍAS Y HELADOS

PASTRY AND GELATO DISPLAY CASES COLORS CHART

VLY | VNZ | VCB | VAR

Ejemplos / Examples

Color exterior / ---



Color exterior
Ral 1018
Amarillo / Yellow



Color exterior
Ral 1015
Beige / Beige



Color exterior
Blanco / White



Color exterior
Design 3504035
Rosa / Pink



Color exterior
Ral 3003
Granate / Maroon



Color exterior
Ral 5015
Azul / Blue



Color exterior
Blanco / White




Color exterior
Ral 3003
Granate / Maroon



Color exterior
Ral 1018
Amarillo / Yellow




Color exterior
Ral 5015
Azul / Blue



Color exterior
Ral 2003
Naranja / Orange



Color exterior
Design 210825
Pistacho / Pistachio



Color exterior
Ral 1015
Beige / Beige



Negro
Black

